

# Sugina

**SPIRIT of JAPAN** 

TRACK RACING

Ver. 4.0

English

SUGINO ENGINEERING CORPORATION



# SG75 DD



Sugino 75 with IDS24 technology, super rigid chainwheel set for racing. IDS24 axle, further evolved to be more "precise" and "durable", enhances functionality of high performance crank.



**SUPER SG75 DD2** 



#### SG75 DD2

Color	●S3 Gold	●Silver , ○Black
Chain Line	42mm	
Chain Size	1/2" x 1/8"	
Crank Material	Super hard forged aluminum alloy	
Crank Length	165 , 167.5 , 170mm	
Teeth	46 ~ 55T	44 ~ 55T
P.C.D.	144mm	
B.B.	MB-608 (BSA) SUPER CERAMIC included	MB-608 (BSA) STEEL included
Axle Type	IDS24 ( $\phi$ 24mm axle)	

#### Small Parts







\*For details, refer to P.9





#### B.B.





MB-608 (BSA) SUPER CERAMIC

MB-608 (BSA) STEEL

Frame	BSA	
Cup Thread	BC1.37 x 24T	
Shell Width	68mm	
Bearing	Super Ceramic balls	Steel balls





Crank compatibility

● SURING: IDS24

● SHIMANO: Hollowtech II
(\$24mm axle



Made-in-Japan highest grade, high precision, ceramic bearing is used. The extremely low friction feature ensures super smooth rotation. Cyclists need to adjust power and cadence, so the ceramic bearing is most effective as less energy is required to turn pedals. If offers remarkable performance gain in competitions requiring high power output.









# Sugino 75



Sugino 75 is world-famous high-end crank used by Olympic and World Championship medalists. ZEN chainring and BB SG75 are also highest quality, most reliable track parts in the world, and offer top performance in track race.









SG75 144C (Grand Mighty)



 Axle Type
 4-Taper (\$G75)

 P.C.D.
 144mm

 Length
 165,167.5,170,172.5,175mm

 Material
 Super hard forged aluminum alloy

 Chain Line
 42mm \*BB-SG75 series (P.6)

Color

C2 C	-1-1		
2mm	*BB-SG75 series (	P.6)	

\*NIS (Silver only)

·N IS















**SUPER ZEN 144** 

ZEN 144

SSG 144

MC 144

P.C.D.	144mm			
Chain Size	1/2" x 1/8"			
Teeth	46 ~ 57T	44 ~ 58T	44 ~ 54T	44 ~ 54T
Color	●S3 Gold	●Silver , ○Black	●Silver , ○Black	●Silver , ○Black

NJS (Silver 44T-55T only) \*

\*NJS (Silver only)








P.C.D.	144mm
Chain Size	1/2" x 1/8"
Teeth	59 ~ 66T
Color	●Silver , ○Black







|







#### BB-SG75 series

SG 75 4-Taper Axle







BB-SG75 SUPER CERAMIC

Highest grade model with ceramic bearing and super lap

BB-SG75 SUPER LAP High grade model with super lap

BB-SG75 Standard

Axle Type	4-Taper (SG75)		
Cup Thread	BC1.37 x 24T		
Shell Width	68mm		
Ball Race	Super LAP	Super LAP	Standard
Bearing	Super Ceramic balls	Steel balls	Steel balls





Special polish on the races on both spindle and cups, effectively reduces friction.



Made-in-Japan highest grade, high precision, ceramic bearing is used. The extremely low friction feature ensures super smooth rotation. Cyclists need to adjust power and cadence. so the ceramic bearing is most effective as less energy is required to turn pedals. If offers remarkable performance gain in competitions requiring high power output.



As Sugino 75 series use a proprietary taper, we refer to it as "SG75 taper" instead of ISO taper in order to avoid misunderstandings and troubles.



### CBB-SG75

Axle Type	4-Taper (SG75)
Cup Thread	BC1.37 x 24T
Shell Width	68mm
Cup Material	Aluminum alloy
Bearing	Steel balls

## **CAUTIONS!!**



# Cautions when using Sugina 75 crank

### Non-Sugino BB [ISO taper (Axle 109mm)]

Bottom Brackets claiming to be "Sugino 75 compatible" are sold on the market. However, we checked it and confirmed that the taper shapes are different. When used together, the crank doesn't fully seat on the BB altering the chainline and the taper hole of the crank is deformed. Thus, the crank will no longer perform its original functions.

For Sugino 75 (SG75 144) crank, please be sure to use proprietary BB (SG75 taper).

JIS taper is also not compatible with SG75 taper.

\*Damage or repairs due to the use of the BB other than those specified are not covered by the warranty.



Urban Piste series including flagship model Messenger. Customize your bike with colorful parts to meet your personal preferences, and increase performance.







**RD4 Messenger** 

**RD4 TRACK** 

Axle Type	4-Taper (JIS)	
в.в.	CBBAL (CBBF) -103 *Sold separately	
P.C.D.	130mm	
Teeth	42 , 44 , 46 , 48T	44 , 46 , 48 , 49 , 50T
Crank Length	165 , 170 , 175mm	
Chain Line	45mm *CBBAL (CBBF) -103mm	
Color	●Silver , ⊜Black	●Silver , ○Black



RD4

Axle Type

P.C.D.

Length

Material

Chain Line

Color

P.C.D.

Chain Size



B.B.








**CBBAL** 

**CBBF** 

Axle Type	4-Taper (JIS)		
Cup Thread	BC1.37 x 24T		
Shell Width	68mm		
Axle Width	103,110,113,116mm	103,110,113,119mm	
Cup Material	Aluminum alloy	Steel	





PJ130 MSGR

Hard forged aluminum alloy

●Silver , ○Black











eth	42 , 44 , 46 , 48T	44 , 46 , 48 , 49 , 50T
lor	●Silver , ○Black	●Silver , ○Black



material. The specific strength is more than twice as high as that of heat-treated chromoly steel.

#### Wide variety of options

There are a wide variety of options including sizes and colors, such as NJS model for Keirin race, glossy finish model that looks cool for both racing and urban cycling.





#### **GIGAS**

Chain Size	1/2" x 1/8"		
Thread	BC1.37 x 24T		
Material	GIGAS alloy	Cr-Mo steel	
Teeth	13 ~ 16T	12T	
Color	●S3 Gold	○Black	●S3 Gold
	*N IS	* N IS	







Chain Size	1/2" x 1/8"
Thread	BC1.37 x 24T
Material	GIGAS alloy
Teeth	13 ~ 17T
Color	●S3 Platinum , ●Gold , ●Silver

**GIGAS Lockring** 

Thread	BC1.29 x 24T L		
Material	Cr-Mo steel		
	*NJS		


# **FIXIE 75**



FIXIE 75



Chain Size	1/2" x 1/8"
Teeth	16 ~ 23T
Color	●Gold , ●Dark Blue




Urban piste cog, CNC precision machined from high-grade aluminum alloy, lightweight and gorgeous, featuring FIXIE system.

#### Bigger size

Available in bigger sizes up to 23T, for urban cycling.

#### ●FIXIE system

Cogs are notched to accept matching notched parts (cluster), and lockring holds them in place. The system allows you to change cogs easily with BB tool, no need of chin whip tool and ring





TL-PWS BB wrench set For details, refer to P.10







**FIXIE** 

Ciuster	FUMIKIKI LOCKTING
′ x 24T	BC1.29 x 24T L

Thread	BC1.37 x 24T	BC1.29 x 24T L
Material	Cr-Mo steel	Cr-Mo steel



#### **CHAINRING FIXING BOLTS & NUTS** Model Material Color Bolt Nut 6 Knurled #401 SUS75 Stainless SUS 6 #402 ● CP Normal Steel Silver 30 Gold Pink

Green

#### #401 SUS75

Stainless steel bolts etched with Sugino 75 name, knurled nuts set into crank holes and firmly stay in place





Knurled Nut

#### #701 for Single

The high-strength aluminum alloy torx bolt is much more durable compared with a standard alloy bolt. It is lightweight, strong and beautifully colored.












Knurled Nut

#402 for Single





PRE	SSURE BOLT	IDS24
Model		
M15 Pressure Bolt		
Adjustable Bolt (M18) *For New IDS24 Axle	and It	Cuana &

	BB AXL	E BOLTS	4-Taper
Model	Tool	Material	Reference
KPB	8 Hexagon		
14BK	<b>14</b> Box	Cr-Mo steel	M8 x 1.0
15CP	<b>15</b> Box		







CRANK I	DUST CAP	4-Taper
Model	Tool	Material
CNS Alloy Dust Cap	<b>5</b> Hexagon	Aluminum alloy

The ultra-lightweight alloy cap and axle bolt set for square taper crank. The wide range og colors allows you to choose the most suitable one for your bike.










SEATPOST CLAMP BOLT			
Model	Size	Tool	Material
Seatpost Clamp Bolt	17mm	<b>5</b> Hexagon	Cr-Mo steel
	19mm		
	22mm		
	25mm		





#### Tool

#### TL-CBB



Installation and removal Tool for cartridge BB.



#### Extractor #202 , #203B





Square taper crank removal tool.

#### TL-PWS BB wrench set



Installation & removal tool for POWER SLEEVE (BB for road bike), it also works for MB-608 (BSA) for SG75 DD2 (P.1-2), FIXIE Cluster and FUMIKIRI Lockring.



FIXIE Cluster

FUMIKIRI Lockring

#### Rim Cement Remover Ver.2



#### To remove residues of release agent, rim tape and rim cement from carbon rims for tubular.


#### Features

By using on drill or air tools, you can clean the rims more efficiently. The remover made of the composite rubber, free from polishing agent and abrasive grain, can remove adhesive residue without damage to

#### Version 2

As it directly attached to the tool without an adapter your work efficiency can be improved.

#### Wheel stand





<u>10</u>

#### **BRAND STORY**

has over a century of experience as a bicycle parts maker

competitions, such as Tour de France, Giro d'Italia, World Championship,

**Suging** can offer higher-quality parts.

# **BICYCLE PARTS lineup**

- ROAD CYCLING Ver. 1.0 -
- TRACK RACING Ver.4.0 -



### **SUGINO ENGINEERING CORPORATION**

https://www.suginoltd.co.ip/us/

Without notice due to continual improvements. Feb. 2020 Sugino Printed in Japan